

shotbox



## NEW GENERATION 4K

# Phantom FLEX 4K-GS Digital Highspeed Camera

### Key Features

Global Shutter (GS), switchable to Rolling Shutter (RS)

Up to 1,000 fps at 4096 x 2160

Phantom CineMag IV recording media 2TB

Cine Raw and Apple ProRes 422 HQ recording formats at full resolution

128GB of internal memory

Monitoring: Three main 3G HD-SDI outputs

Battery mount supporting batteries V-Mount

Lens mount: Interchangeable between PL and Nikon F/G standards

2x 12V and 2x 24V accessory outputs

On-set workstation RAID storage

640 ISO sensor sensitivity, super 35mm sensor size

Compatible with Motion Control, Steadicam etc.

Compatible with any video-assist system (Vantage PSU etc.)

### Camera specifications

Size: 29.2 x14 x20 cm

Weight: 6.3 kg (without lens and monitor)

### Resolution Max fps Loop Mode

4096 x 2304 (max res)	938 fps
4096 x 2160 (4K standard)	1000 fps
3840 x 2160 (16 x 9)	1000 fps
1920 x 1080 (16 x 9)	1975 fps
1280 x 720 (16 x 9)	2930 fps

### Full Package Includes

Phantom Flex 4K GS 128GB highspeed camera body

High quality 24" HD broadcast monitor incl. waveform display

2 x 2 TB Cinemag memory modules

Cinestation 10Gb Eth. - Cinemag docking unit

On-camera 5.6" HD monitor incl. waveform display

On-set workstation, RAID backup storage

No PL-mount lenses included

No harddrives included



### Contact

Shotbox s.r.o. Štítného 34, Praha 3, [www.shotbox.cz](http://www.shotbox.cz)  
Dominique Miller +420 724 188 818, [info@shotbox.cz](mailto:info@shotbox.cz)